



























UK Retail Price List

Effective 1st March 2009

Aspect series Touring — Colour Black			
	TA-890H	Tri-amped, 2x10" LMF, 1x10" HMF, 2x50mm HF 1000W pgm LMF, 400W pgm HMF, 200W pgm HF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V Integral Flyware, NL8, Wheelboard Included 795mmH x 477mmW x 574mmD, 76kg	6,945.00 15F0100
	TA-890L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz Integral Flyware, NL4, Wheelboard Included 795mmH x 477mmW x 574mmD, 68kg	4,255.00 15F0120
Aspect series Touring Hardware			
	FB-890/1A	Touring Flybar - 1 Wide A-System Single Pickup Point	759.00 07B910
	FB-890/2A	Touring Flybar - 2 Wide A-System Bridle Pickup Points	2,458.00 07B920
	FB-890/3A	Touring Flybar - 3 Wide A-System Single Pickup Point	3,271.00 07B930
	FB-890/2B	Touring Flybar - 2 Wide B-System Bridle Pickup Points	2,021.00 07B925
	FB-890/3B	Touring Flybar - 3 Wide B-System Single Pickup Point	2,348.00 07B933
	FB-890MB	Touring Flybar - Motherbeam to connect 2x FB-8902A/FB-8901A	4,095.00 07B935
	FB-890MBE	Motherbeam Extender to connect FB-8901A to a half MB-890	1,633.00 07B940
	FB-890UH	Flybar for TA-500HM downfill	592.00 07E044
	CB-8001	3 leg chain bridle for MB-890 Motherbeam and FB-890/3A	302.00 07B980
	CB-8002	2 leg chain bridle for FB-890/2A and FB-890/3B	246.00 07B982
	CB-8003	2 leg chain bridle for FB-890/2B	246.00 07B984
	FC-890A	A-System choked flying chain	252.00 07E050
	FC-890B	B-System choked flying chain	208.00 07E052
	FC-890BL	B-System inter-cabinet links	104.00 07E054
	TS-880/890	Double Action Tilt Strap for TA-880/890 Array	61.00 07E056
	FT-8902A	Flytrunk for 1 x FB-890/2A, 1x FB-890/1A, 1/2x MB890 Motherbeam	2,889.00 15F0200
	WB-890	Single Cabinet wheel board	323.00 15F0124
	WB-890/4	3 or 4 tall wheel board	957.00 15F0126
Aspect series Amplification and Cabling - For amps specify 110v or 230v			
	T-25	Turbosound 2x1250W into 4 ohm switchmode power amplifier	2,115.00 16F921
	T-475	Turbosound 4x750W into 4 or 8 ohm switchmode power amplifier	2,597.00 16F925
	T-45	Turbosound 2x2250W into 4 ohm switchmode power amplifier	2,942.00 16F923
	Amp-890/1	Amp Rack complete with 2xT-25, 3xT-45, Single Phase	18,036.00 16G902
	Amp-890/3	Amp Rack complete with 2xT-25, 3xT-45, Three Phase	18,036.00 16G906
	Amp-Rack	Amp Rack only - Wooden Case and Metal Rack Frame	1,855.00 16G910
	Amp-Mains	Mains Distro only - Specify single or 3 phase	1,060.00 16G912
	Amp-Input	Input panel only - 2x25 pin Veam input/link	1,325.00 16G916
	Amp-Output	Output Panel - 2x NL8, 4x NL4, 2x Socapex	1,272.00 16G918
	Amp-Panels	Complete input, output and mains distro panel set	3,710.00 16G920
	SX-12.5	Socapex 12.5 Meter speaker extension	371.00 16F930
	SX-25	Socapex 25 Meter speaker extension	477.00 16F935
	SX-NL4	Socapex to 8xNL4 4 metre Speaker fanout	451.00 16F940
	SX-NL8	Socapex to 4xNL8 4 metre Speaker fanout	477.00 16F945
Electronics			
	LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	1,146.00 16F890
	LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	1,474.00 16F891
	BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	246.00 16F0005
	BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	149.00 16F0010
	BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	104.00 16F0015
Aspect series Trapezoidal—Colour Black			
	TA-880H	Tri-amped, LMF 2x10", HMF 1x10", HF 2x50mm 1000W pgm LMF, 400W pgm HMF, 200W pgm HMF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V NL8, Optional Flyware, Optional Wheelboard 1025mmH x 477mmW x 463mmD, 59kg	4,631.00 15F0140
	TA-880HM	Bi-amped, 1x10" 400W pgm HMF, 2x50mm 200W pgm HF Max SPL 146dB Peak, 405Hz-20kHz, 25°Hx15°V NL8, Optional Flyware 477mmH x 477mmW x 463mmD, 28kg	3,090.00 15F0144
	TA-880L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz NL4, Optional wheel kit 795mmH x 477mmW x 574mmD, 50kg	2,894.00 15F0150

Aspect series Trapezoidal Hardware			
	FB-880/2W	2-Wide Trap flybar - 3-deep max	1,633.00 07B945
	FB-880/3W	3-Wide Trap flybar - 3-deep max	2,179.00 07B950
	CB-8002	2 leg chain bridle for FB-880/3W	246.00 07B982
	CB-8003	2 leg chain bridle for FB-880/2W	246.00 07B984
	FC-880	Choked flying chain	203.00 07E058
	FC-880S	Short flying chain	137.00 07E060
	SW-880H	Flying Sword for TA-880H	50.00 07E006
	SW-880HM	Flying Sword for TA-880HM	47.00 07E006HM
	SW-880LM	Flying Sword for TA-880LM	47.00 07E006LM
	SL-880	Linch pin for swords	17.00 07E007
	SC-880	Spacer Collar for swords	23.00 07E062
	TS-880/890	Double Action Tilt Strap for TA-880/890 Array	61.00 07E056
	BSC-01	Biscuit to connect rear of cabinets in array	7.00 07A588
	WB-880H	Single Cabinet wheel board	323.00 15F0142
	T760-Wheelkit	Wheel kit for TA-880L (4 Wheels inc. Bolts)	66.00 07G793B
Aspect Wide - Colour Black			
	TA-500t	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Integrated Flyware, Wheelboard included 977mmH x 574mmW x 498mmD, 57kg	4,110.00 15F0190
	TA-500tDP	Self-powered bi-amped TA-500t Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Integrated Flyware, Wheelboard included 977mmH x 574mmW x 498mmD, 59kg	5,493.00 15F0195
	TA-500	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Optional Flyware, Optional Wheelboard 977mmH x 574mmW x 498mmD, 52kg	3,068.00 15F0180
	TA-500DP	Self-powered bi-amped TA-500 Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Optional Flyware, Optional Wheelboard 977mmH x 574mmW x 498mmD, 54kg	4,451.00 15F0180DP
	TA-500H	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V, NL8, optional flyware 551mmH x 983mmW x 498mmD, 52kg	3,068.00 15F0185BLK
	TA-500HDP	Self-Powered TA-500H Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V 551mmH x 983mmW x 498mmD, 54kg, optional flyware	4,451.00 15F0185DP
	TA-500HM	Two-way downfill, bi-amp or passive, MF 1x10", HF 1x50mm 400W pgm MF, 100W pgm HF Max SPL 138dB Peak, 250Hz-18kHz, 50°Hx25°V, NL8, optional flyware 551mmH x 574mmW x 498mmD, 37kg	2,200.00 15F0175
	AMP-500DP	TA-500 Amp module - retrofit to non-powered TA-500	1,384.00 15F0180DP/UP
Aspect TA-500 Series Touring Hardware			
	FB-500T/2W	Touring Flybar, 2-wide	1,529.00 07B1030
	FB-500T/3W	Touring Flybar, 2-wide	1,998.00 07B1035
	FC-500T L	Flying chain long	208.00 07B065
	FC-500T ST	Flying chain standard	208.00 07B060
	ICL-500	Inter-cabinet link	104.00 07B055
	TS-890	Tilt strap	61.00 07E056
	CB-8003	2-leg chain bridle	246.00 07B984
	GS-500/1W	Ground stacking kit	546.00
Aspect TA-500 Series Install Hardware			
	FK-500/1T	Top row kit to suspend one column of TA-500	231.00 07B1010
	FK-500/1H	Hinge kit for one wide TA-500 array	1,475.00 07B1015
	FK-500/2T	Top row kit for 2-wide TA-500 arrays	458.00 07B1000
	FK-500/2H	Hinge kit for 2-wide TA-500 arrays	1,529.00 07B1020
	FK-500/3T	Top row kit for 3-wide TA-500 arrays	449.00 07B1005
	FK-500/3H	Hinge kit for 3-wide TA-500 arrays	1,529.00 07B1025
	EB-10/40	M10x40mm Eyebolt	23.00 07B393
	WB-TA500	Wheelboard for TA-500 and TA-500t Aspect Wide Cabinets	323.00 15F0182
	WB-TA500HM	Wheelboard for TA-500HM Aspect Wide Cabinets	292.00 15F0177




Flex Array series — Colour Black

	TFA-600H	Three-way bi-amped/tri-amped, 2 x 10"LF, 6.5"MF, 50mm HF 1200W pgm LMF, 240W pgm MF, 120W pgm HF Max SPL 138dB Peak, 80Hz-18kHz, 75°H x 16°V NL8, Integrated Flyware 710mmH x 304mmW x 560mmD, 41kg	3,366.00	15F0300
	TFA-600L	Horn-loaded 1 x 18" bass enclosure 1600W Pgm, Max SPL 139dB Peak, 38Hz - 150Hz 710mmH x 574mmW x 560mmD Integrated Flyware, complete with heavy duty wheels	2,809.00	15F0310
	TFA-600HDP	Self-powered bi-amped mid/high Max SPL 138dB Peak, 80Hz-18kHz, 75°H x 16°V Integrated Flyware 710mmH x 304mmW x 560mmD, 43kg	4,714.00	15F0300DP
	TFA-600LDP	Self-powered horn-loaded 1x18" bass enclosure Max SPL 139dB Peak, 38Hz - 150Hz 710mmH x 574mmW x 560mmD Integrated Flyware, complete with heavy duty wheels	4,158.00	15F0310DP



Flex Array Flying Hardware

	FB-600	Flybar with screw adjustment	2,783.00	07B1070
	FK-600i	Install flying kit	186.00	07B1075
	CF-600	Conversion frame	1,050.00	07B1060
	FT-600/3	Transport flightcase 3-up	1,574.00	15F0315
	FB-600/2W	Two-wide B mode flybar		
	FC-600	Top chain		
	TS-880/890	Tilt strap double ratchet	61.00	07E056
	FY-600	Flying yoke	223.00	
	FYPH	Pole adapter	56.00	07B854
	SCLAMP	Scaffold clamp	40.00	07B856



TFM series — Colour Black

	TFM-212	Passive 2-way monitor, 2x12" LF, 1" HF, NL4 700W pgm, Max SPL 133dB Peak, 80Hz-18kHz, 80°Hx60°V 312mmH x 696mmW x 418mmD, 24kg	1,015.00	15F3780/2
	TFM-420	Bi-amped 2-way Monitor, neo 12" LF, neo 1.5" HF, NL4 LF 600W HF 200W pgm, Max SPL 136dB Peak, 90Hz-16kHz, 40°Hx60°V 329mmH x 614mmW x 384mmD, 25.2kg	2,745.00	15F3250NL4
	TFM-450	Bi-amped 2-way Monitor, Neo 15" LF, neo 1.5" HF, Speakon LF 800 W HF 200W pgm, Max SPL 136dB Peak, 60Hz-16kHz, 40°Hx60°V 401mmH x 711mmW x 475mmD, 32kg	2,988.00	15F3260NL4






TSW series Horn-loaded Subwoofers - Colour black

	TSW-218	Subwoofer, 2x18" neodymium, NL4 3200W Pgm, Max SPL 142dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 110kg Complete with Heavy Duty Wheels	3,468.00	15F0440
	TSW-218DP	Self-powered TSW-218 Max SPL 142dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 113kg Complete with Heavy Duty Wheels	4,832.00	15F0440DP

TSB series Bandpass Subwoofers - Colour Black or optional White

	TSB-110	Bandpass Subwoofer, 10" LF dual voice coil, push terminals 600W pgm, Max SPL 126dB Peak, 45Hz-180Hz 330mmH x 585mmW x 330mmD, 16.5kg	406.00	15F4700
	TSB-212	Bandpass Subwoofer, 2x 12", NL4 1600W Pgm, Max SPL 138dB Peak, 38Hz-200Hz 420mmHx1000mmWx470mmD, 47kg	1,087.00	15F4710

NuQ™ series—Colour Black or optional White

	NuQ-8	Passive 2-way 8" LF, 1" HF, NL4 500W pgm, Max SPL 124dB Peak, 60Hz-20kHz, 100°Hx60°V rotatable 464mmH x 272mmW x 220mmD, 9.5kg	748.00	15F0800BLK	
					White 823.00
	NuQ-10	Passive 2-way 10" LF, 1" HF, NL4 600W pgm, Max SPL 127dB Peak, 55Hz-20kHz, 100°Hx60°V rotatable 525mmH x 318mmW x 258mmD, 12kg	1,037.00	15F0810BLK	
					White 1,141.00
	NuQ-12	Passive/Active Switchable 2-way 12" LF, 1.4" HF, NL4 700W pgm, Max SPL 133dB Peak, 55Hz-20kHz, 80°Hx50°V rotatable 655mmH x 373mmW x 340mmD, 20kg	1,384.00	15F0820BLK	
					White 1,523.00
	NuQ-15	Passive/Active Switchable 2-way 15" LF, 1.4" HF, NL4 1200W pgm, Max SPL 135dB Peak, 50Hz-20kHz, 80°Hx50°V rotatable 712mmH x 430mmW x 385mmD, 26kg	1,616.00	15F0830BLK	
					White 1,778.00
	B-15	15" Subwoofer, 1x15", NL4 800W pgm, Max SPL 132dB Peak, 45Hz-120kHz	1,153.00	15F0840BLK	

	B-18	464mmH x 574mmW x 620mmD, 36.5kg 18" Bandpass Subwoofer, 1x18", NL4 1200W pgm, Max SPL 136dB Peak, 40Hz-150kHz 768mmH x 574mmW x 700mmD, 65kg	White	1,269.00 1,731.00	15F0850BLK
	T4-Wheels	Optional wheel kit for B15/B18	White	1,905.00 65.00	07G792
NuQ-DP™ series—Colour Black or optional White					
	NuQ-8DP	Digitally Self-Powered 2-way 8" LF, 1" HF, XLR, Powercon Max SPL 124dB Peak, 60Hz-20kHz, 100°Hx60°V rotatable 464mmH x 272mmW x 252mmD, 13kg	White	1,731.00 1,818.00	15F0800DPBLK
	NuQ-10DP	Digitally Self-Powered 2-way 10" LF, 1" HF, XLR, Powercon Max SPL 127dB Peak, 55Hz-20kHz, 100°Hx60°V rotatable 525mmH x 318mmW x 281mmD, 15.5kg	White	2,078.00 2,182.00	15F0810DPBLK
	NuQ-12DP	Digitally Self-Powered 2-way 12" LF, 1.4" HF, XLR, Powercon Max SPL 133dB Peak, 55Hz-20kHz, 80°Hx50°V rotatable 655mmH x 373mmW x 340mmD, 23kg	White	2,657.00 2,790.00	15F0820DPBLK
	NuQ-15DP	Digitally Self-Powered 2-way 15" LF, 1.4" HF, XLR, Powercon Max SPL 135dB Peak, 50Hz-20kHz, 80°Hx50°V rotatable 712mmH x 430mmW x 385mmD, 29kg	White	2,889.00 3,034.00	15F0830DPBLK
	B-15DP	Digitally Self-Powered 15" Subwoofer, 1x15", XLR, Powercon Max SPL 132dB Peak, 45Hz-120kHz 464mmH x 574mmW x 620mmD, 39kg	White	2,310.00 2,426.00	15F0840DPBLK
	B-18DP	Digitally Self-Powered 18" Subwoofer, 1x18", XLR, Powercon Max SPL 136dB Peak, 40Hz-150kHz 768mmH x 574mmW x 700mmD, 67.5kg	White	3,005.00 3,156.00	15F0850DPBLK
	T4-Wheels	Optional wheel kit for B15/B18DP		65.00	07G792
NuQ™ Series — Accessories					
Flying Yokes—Pole Holders and Clamps optional					
	NuQ-FY8	Flying Yoke for NuQ-8 and NuQ-8DP		187.00	07B888
	NuQ-FY10	Flying Yoke for NuQ-10 and NuQ-10DP		198.00	07B892
	NuQ-FY12	Flying Yoke for NuQ-12 and NuQ-12DP		208.00	07B896
	NuQ-FY15	Flying Yoke for NuQ-15 and NuQ-15DP		241.00	07B898
	FY-PH	Pole Holder adapter for Flying Yokes or Swivel Brackets		56.00	07B854
	NuQ-TB	T-Bar to attach two FY-NuQ8 yokes on one pole or clamp		33.00	07B878
	SCLAMP	Scaffold Clamp adapter for Flying Yokes or Swivel Brackets		40.00	07B856
Swivel Brackets—Pole Holders and Clamps optional					
	NuQ-SB8	Swivel / U-Bracket for NuQ-8 and NuQ-8DP		72.00	07G090
	NuQ-SBE8	Extension Bracket for NuQ-8 and NuQ-8DP		33.00	07G080
	NuQ-SB10	Swivel / U-Bracket for NuQ-10 and NuQ-10DP		72.00	07G092
	NuQ-SBE10	Extension Bracket for NuQ-10 and NuQ-10DP		33.00	07G085
	FY-PH	Pole Holder adapter for Flying Yokes or Swivel Brackets		56.00	07B854
	SCLAMP	Scaffold Clamp adapter for Flying Yokes or Swivel Brackets		40.00	07B856
Wall and Ceiling Brackets					
	WB-20B	Wall Bracket for NuQ-8 and NuQ-10		66.00	07B880
	WB-55B	Wall Bracket for NuQ-12 and NuQ-15		83.00	07B884
	PB-55	Wall Bracket for pole holder mounting suitable for: NuQ-8DP, NuQ-10DP, NuQ-12DP and NuQ-15DP		78.00	07B830
	EB-10/40	M10x40mm Eyebolt (sold singly)		23.00	07B393
QLight™ series — Colour Black					
	TQ-445	Bi-Amped 3-way 12" LF, 6.5" MF, 1" HF, NL4 LF 600W MF/HF 300W pgm, Max SPL 137dB Peak, 75Hz-20kHz, 60°Hx40°V 588mmH x 409mmW x 363mmD, 30kg		2,328.00 1,969.00	15F9710 15F9800
	TQ-425	Subwoofer, 2x15" LF, NL4 1600W pgm, Max SPL 138dB Peak 45Hz-200Hz 836mmH x 511mmW x 632mmD, 54kg, inc. wheel kit		1,969.00	15F9800
QLight™ DP series Self-powered — Colour Black					
	TQ-445DP	Digitally self-powered, 3-way, 12" LF, 6.5" MF, 1" HF, Powercon, XLR Max SPL 137dB Peak, 55Hz-20kHz, 60°Hx40°V 588mmH x 409mmW x 363mmD, 34.5kg		3,416.00 3,416.00	15F9710DP 15F9800DP
	TQ-425DP	Digitally self-powered subwoofer, 2x15" LF, Powercon, XLR Max SPL 138dB Peak 45Hz-200Hz 836mmH x 511mmW x 632mmD, 57kg		3,416.00	15F9800DP
QLight™ series — Accessories					
	FY-445	Flying Yoke for TQ-445 and TQ-445DP		208.00	07B641
	PB-55	Wall Bracket for pole holder mounting		78.00	07B830
	FS-445	Flying Strips for TQ-445		40.00	07G318
	FB-12	TQ-445 T-Bar		198.00	07B630
	PP-445	Pickup point adaptor for FB-12		50.00	07B634
	EB-10/18	M10x18mm Eyebolt for TQ-445		14.00	07B392

TCS Series — Colour Black or White



TCS-61	Passive 2-way 6.5" LF, 1" HF, NL4/terminal strip 350w pgm, max SPL 116dB peak, 50Hz-20kHz ±10dB, 100°h x 60°v 238mmH x 414mmW x 190mmD, 6kg	599.00	15F0230
TCS-122/96	Switchable active/passive 2-way 12" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 90°h x 60°v 803mmH x 414mmW x 419mmD, 28.5kg	1,100.00	15F0210
TCS-122/64	Switchable active/passive 2-way 12" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 60°h x 40°v 803mmH x 414mmW x 419mmD, 28.5kg	1,100.00	15F0216
TCS-122/94	Switchable active/passive 2-way 12" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 90°h x 40°v 803mmH x 414mmW x 419mmD, 28.5kg	1,100.00	15F0213
TCS-152/96	Switchable active/passive 2-way, 15" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 90°h x 60°v 836mmH x 469mmW x 433mmD, 35kg	1,300.00	15F0220
TCS-152/64	Switchable active/passive 2-way, 15" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 60°h x 40°v 836mmH x 469mmW x 433mmD, 35kg	1,300.00	15F0226
TCS-152/94	Switchable active/passive 2-way, 15" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 90°h x 40°v 836mmH x 469mmW x 433mmD, 35kg	1,300.00	15F0223
TCS-1561/74	Switchable bi-amp/tri-amp 3-way, 15" LF, 6.5" MF, 1" HF, NL4/terminal strip LF 1000w, MF 200w, HF 100w pgm, max SPL 134dB peak 40Hz-20kHz ±10dB, 70°h x 40°v 979mmH x 543mmW x 467mmD, 44.5kg	1,800.00	15F0240
TCS-B15A	Subwoofer to array with TCS-122, 15" LF, NL4/terminal strip 1000w pgm, max SPL 133dB peak, 30Hz-200Hz ±10dB 803mmH x 428mmW x 500mmD, 35kg	999.00	15F0250
TCS-B15B	Subwoofer to array with TCS-152, 15" LF, NL4/terminal strip 1000w pgm, max SPL 133dB peak, 30Hz-200Hz ±10dB 836mmH x 469mmW x 440mmD, 36kg	999.00	15F0260
TCS-B218	Subwoofer, 2 x 18" LF, NL4/terminal strip 2400w pgm, max SPL 142dB peak, 20Hz-214Hz ±10dB 710mmH x 1130mmW x 730mmD, 97kg	2,000.00	15F0270

TCS DP Series Self-powered — Colour Black or White









TCS-122/96DP	Digitally self-powered 2-way 12" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz ±10dB, 90°h x 60°v 803mmH x 414mmW x 419mmD, 30kg	1,999.00	15F0210DP
TCS-122/64DP	Digitally self-powered 2-way 12" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz ±10dB, 60°h x 40°v 803mmH x 414mmW x 419mmD, 30kg	1,999.00	15F0216DP
TCS-122/94DP	Digitally self-powered 2-way 12" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz ±10dB, 90°h x 40°v 803mmH x 414mmW x 419mmD, 30kg	1,999.00	15F0213DP
TCS-152/96DP	Digitally self-powered 2-way, 15" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz ±10dB, 90°h x 60°v 836mmH x 469mmW x 433mmD, 37kg	2,499.00	15F0220DP
TCS-152/64DP	Digitally self-powered 2-way, 15" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz ±10dB, 60°h x 40°v 836mmH x 469mmW x 433mmD, 37kg	2,499.00	15F0226DP
TCS-152/94DP	Digitally self-powered 2-way, 15" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz ±10dB, 90°h x 40°v 836mmH x 469mmW x 433mmD, 37kg	2,499.00	15F0223DP
TCS-1561/74DP	Digitally self-powered 3-way, 15" LF, 6.5" MF, 1" HF, XLR/Powercon/RJ45 max SPL 134dB peak, 40Hz-20kHz ±10dB, 70°h x 40°v 979mmH x 543mmW x 467mmD, 46.5kg	2,999.00	15F0240DP
TCS-B15ADP	Digitally self-powered sub to array with TCS-122, 15" LF, XLR/Powercon/RJ45 max SPL 133dB peak, 30Hz-200Hz ±10dB 803mmH x 428mmW x 500mmD, 37kg	1,999.00	15F0250DP
TCS-B15BDP	Digitally self-powered sub to array with TCS-152, 15" LF, XLR/Powercon/RJ45 max SPL 133dB peak, 30Hz-200Hz ±10dB 836mmH x 469mmW x 440mmD, 38kg	1,999.00	15F0260DP
TCS-B218DP	Digitally self-powered sub, 2 x 18" LF, XLR/Powercon/RJ45 max SPL 142dB peak, 20Hz-214Hz ±10dB 710mmH x 1130mmW x 730mmD, 99kg	3,499.00	15F0270DP




Rigging hardware

SB-61	Swivel bracket for TCS-61	TBA	
ICC-61	Inter-cabinet couplers for TCS-61 and TCS-122	TBA	
ICC-2V	Kit of two inter-cabinet couplers to fly TCS-122 or TCS-152 vertically	58.00	07G0330
FP-1	Kit of two flyplates to fly TCS-122 or TCS-152	115.00	07G0335
FP-2	Kit of two flyplates to fly TCS-B15A or TCS-B15B	120.00	07G0340
ICC-2H	Kit of two inter-cabinet couplers to fly TCS-122 horizontally	58.00	07G0345
ICC-3H	Kit of two inter-cabinet couplers to fly TCS-152 horizontally	58.00	07G0350
ICC-4H	Kit of two inter-cabinet couplers to fly TCS-B15A or TCS-B15B	58.00	07G0355
ICC-5H	Kit of two inter-cabinet couplers to fly TCS-152 with TCS-B15B	58.00	07G0360
ICC-6H	Kit of two inter-cabinet couplers to fly TCS-122 with TCS-B15A	58.00	07G0365


Wall and ceiling brackets			
	WB-20	Wall Bracket for TCS-61	66.00 07B810
	WB-55	Wall Bracket for TCS-122 and TCS-152	78.00 07B820
	CB-55	Ceiling Bracket for TCS-61, TCS-122 and TCS-152	83.00 07B840

TCS Compact Series — Colour Black, White or Custom Colour





	TCS-081C	Passive 2-way 8" LF, 1" HF, NL4/terminal strip 400w pgm, max SPL 122dB peak, 70Hz-20kHz, 100°Hx60°V 415mmH x 308mmW x 270mmD, 12kg	434.00 15F5560
	TCS-081CT	Including 100V Line Transformer with 15W, 30W and 60W taps	479.00 15F5560T
	TCS-081CW	Weather Resistant version to IP-54	681.00 15F5560WP
	TCS-081CWT	Weather Resistant with 100V Line TX - 15W, 30W, 60W taps	726.00 15F5560TWP
	TCS-101C	Passive 2-way 10" LF, 1" HF, NL4/Terminal Strip 500 W pgm, Max SPL 125dB, 65Hz-20kHz, 100°Hx60°V rotatable 508mmHx366mmWx319mmD, 16.5kg	501.00 15F5565
	TCS-101CT	Including 100V Line Transformer with 30W, 60W and 120W taps	546.00 15F5565T
	TCS-101CW	Weather Resistant version to IP-54	748.00 15F5565WP
	TCS-101CWT	Weather Resistant with 100V Line TX - 30W, 60W, 120W taps	793.00 15F5565TWP
	TCS-121C	Passive 2-way 12" LF, 1" HF, NL4/Terminal Strip 600W pgm, Max SPL 128dB Peak, 60Hz-20kHz, 70°Hx40°V 553mmH x 407mmW x 352mmD, 19kg	523.00 15F5570
	TCS-121CT	Including 100V Line Transformer with 30W, 60W and 120W taps	579.00 15F5570T
	TCS-121CW	Weather Resistant version to IP-54	782.00 15F5570WP
	TCS-121CWT	Weather Resistant with 100V Line TX - 30W, 60W, 120W taps	838.00 15F5570TWP
	TCS-151C	Passive 2-way 15" LF, 1" HF, NL4/Terminal Strip 600W pgm, Max SPL 130dB Peak, 45Hz-20kHz, 70°Hx40°V 652mmH x 468mmW x 423mmD, 25.5kg	586.00 15F5575
	TCS-151CT	Including 100V Line Transformer with 60W, 120W and 240W taps	642.00 15F5575T
	TCS-151CW	Weather Resistant version to IP-54	843.00 15F5575WP
	TCS-151CWT	Weather Resistant with 100V Line TX - 60W, 120W, 240W taps	923.00 15F5575TWP
	TCS-115C	Subwoofer, 15" LF, NL4/Terminal Strip 600W pgm, Max SPL 127dB Peak 43Hz-150Hz 652mmH x 465mmW x 423mmD, 25kg	523.00 15F5580
	TCS-115CW	Weather Resistant version to IP-54	782.00 15F5580WP
	TCS-215C	Subwoofer, 2x15" LF, NL4/Terminal Strip 1200W pgm, Max SPL 133dB Peak 40Hz-150Hz 891mmH x 550mmW x 506mmD, 47kg	821.00 15F5585
	TCS-215CW	Weather Resistant version to IP-54	1,102.00 15F5585WP
	TCS-118C	Subwoofer, 18" LF, NL4/Terminal Strip 600W pgm, Max SPL 129dB Peak 36Hz-150Hz 652mmH x 540mmW x 484mmD, 30kg	647.00 15F5590
	TCS-118CW	Weather Resistant version to IP-54	911.00 15F5590WP
	TCS-218C	Subwoofer, 2x18" LF, NL4/Terminal Strip 1200W pgm, Max SPL 135dB Peak 36Hz-150Hz 1035mmH x 602mmW x 532mmD, 54.5kg	1,119.00 15F5595
	TCS-218CW	Weather Resistant version to IP-54	1,400.00 15F5595WP

Wall and Ceiling Brackets			
	WB-20	Wall Bracket for TCS-081C, TCS-101C and TCS 121C	66.00 07B810
	WB-55	Wall Bracket for TCS-151C	78.00 07B820
	CB-55	Ceiling Bracket for TCS-081C, TCS-101C, 121C and TCS-151C	83.00 07B840
	SB-101C	U-Bracket for TCS-101C	33.00 07G375
	EB-10/40	M10x40mm Eyebolt (sold singly)	23.00 07B393



Ceiling Speakers - Colour White (finish ready for painting)

	TCS-C50T	Passive 2-way 5" LF, HF Tweeter, Screw Terminal Phoenix 150W pgm, Max SPL 116dB Peak, 75Hz-22kHz, 180°Hx180°V 268mm Diameter x 219mm Deep inc. backbox, 3.4kg 16ohm, 15W, 30W, 60W taps on switch	127.00 15F6030
	TCS-C50TB	Tile Bridge for TCS-C50T	17.00 07B875




Impact series — Colour Black or White

	Impact 35	Passive 2-way 3.5" LF, HF Tweeter 80W pgm, Max SPL 110dB Peak, 70Hz-20kHz ±10dB, 100°Hx100°V 242mmH x 145mmW x 148mmD, 2.2kg Includes WB-5 Wall Bracket	85.00	15F8410
	Impact 35T	Passive 2-way 3.5" LF, HF Tweeter, 70/100V line transformer 80W pgm, Max SPL 110dB Peak, 70Hz-20kHz ±10dB, 100°Hx100°V 242mmH x 145mmW x 148mmD, 2.2kg Includes WB-5 Wall Bracket	98.00	15F8420
	Impact 55T	Passive 2-way 5" LF, HF Tweeter, 70/100V line transformer 160W pgm, Max SPL 115dB Peak, 64Hz-20kHz ±10dB, 100°Hx70°V 300mmH x 164mmW x 158mmD, 3.5kg Includes WB-5 Wall Bracket	113.00	15F8460
	Impact 65T	Passive 2-way 2 x 5" LF, HF Tweeter, 70/100V line transformer 240W pgm, Max SPL 117dB Peak, 43Hz-20kHz ±10dB, 100°Hx70°V 450mmH x 164mmW x 158mmD, 5kg Includes WB-5 Wall Bracket	187.00	15F8490


Wall and Ceiling Brackets

	WB-5	Wall Bracket (with integral electrical connections) black	38.00	07B595BLK
		White	38.00	07B595WHT
	WB-10	Wall Bracket	40.00	07B800
	CB-10	Ceiling Bracket	78.00	07B801


TXP series—Colour Black










	TXP-121	Digitally self-powered 2-way 12" LF, 1" HF, XLR Max SPL 128dB Peak, 50Hz-20kHz ±10dB, 70°Hx40°V 553mmH x 412mmW x 352.5mmD, 22kg	870.00	15F4985
	TXP-151	Digitally self-powered 2-way 15" LF, 1" HF, XLR Max SPL 130dB Peak, 40Hz-20kHz ±10dB, 70°Hx40°V 652mmH x 472mmW x 408mmD, 28.1kg	985.00	15F4990
	TXP-118	Digitally self-powered 18" subwoofer Max SPL 129dB Peak, 38Hz-125Hz ±10dB 652mmH x 540mmW x 503mmD, 28.1kg	927.00	15F4995

Wall and Ceiling Brackets

	PB-55	Wall Bracket for pole holder mounting suitable for: TXP-121, TXP-151, TXD-081, TXD-121 and TXD-151	78.00	07B830
	PA-60	60cm Speaker Pole	28.00	07B508/0.6
	PA-90	90cm Speaker Pole	30.00	07B508
	PA-100	100cm Speaker Pole	31.00	07B508/1.0
	PA-120	120cm Speaker Pole	33.00	07B508/1.2

TXD series—Colour Black

	TXD-081	Passive 2-way 8" LF, 1" HF, NL4 400 W prog, Max SPL 122dB Peak, 70Hz-20kHz, 100°Hx60°V 415mmH x 307mmW x 270mmD, 11.3kg	434.00	15F4860BLK
	TXD-121	Passive 2-way 12" LF, 1" HF, NL4 600W pgm, Max SPL 128dB Peak, 60Hz-20kHz, 70°Hx40°V 553mmH x 411mmW x 352mmD, 20kg	523.00	15F4800BLK
	TXD-151	Passive 2-way 15" LF, 1" HF, NL4 600W pgm, Max SPL 130dB Peak, 45Hz-20kHz, 70°Hx40°V 652mmH x 465mmW x 423mmD, 28kg	586.00	15F4810BLK
	TXD-252	Bi-Amped/Passive 2-way 2x15" LF, 1.5" HF, NL4 2000 W pgm, Max SPL 133dB Peak, 44Hz-17kHz, 80Hx50V rotatable 1220mmH x 540mmW x 434mmD, 49kg	1,175.00	15F4870BLK
	TXD-12M	Passive 2-way 12" LF, 1" HF, NL4 600W pgm, Max SPL 128dB Peak, 65Hz-20kHz, 40°Hx70°V 435mmH x 553mmW x 288mmD, 18kg	535.00	15F4850BLK
	TXD-15M	Bi-Amped/Passive 2-way 15" LF, 1.5" HF, NL4 600W pgm, Max SPL 130dB Peak, 65Hz-18kHz, 40°Hx60°V 652mmH x 547mmW x 363mmD, 30kg	883.00	15F4890BLK
	TXD-115	Subwoofer, 15" LF, NL4 600W pgm, Max SPL 127dB Peak 43Hz-150Hz 652mmH x 465mmW x 423mmD, 25kg	523.00	15F4820BLK
	TXD-215	Subwoofer, 2x15" LF, NL4 1200W pgm, Max SPL 133dB Peak 40Hz-150Hz 891mmH x 550mmW x 505mmD, 47kg	821.00	15F4840BLK

	TXD-118	Subwoofer, 18" LF, NL4 600W pgm, Max SPL 129dB Peak 36Hz-150Hz 652mmH x 540mmW x 484mmD, 28kg	647.00	15F4830BLK
	TXD-218	Subwoofer, 2x18" LF, NL4 1200W pgm, Max SPL 135dB Peak 36Hz-150Hz 1035mmH x 602mmW x 532mmD, 57kg	1,119.00	15F4880BLK
Wall and Ceiling Brackets				
	WB-20	Wall Bracket for TXD-081 and TXD-121	66.00	07B810
	WB-55	Wall Bracket for TXD-151	78.00	07B820
	CB-55	Ceiling Bracket for TXD-081, TXD-121 and TXD-151	83.00	07B840
	PB-55	Wall Bracket for pole holder mounting suitable for: TXD-081, TXD-121 and TXD-151	78.00	07B830
	EB-10/18	M10x18mm Eyebolt	14.00	07B392
	EB-10/40	M10x40mm Eyebolt	23.00	07B393
	PA-60	60cm Speaker Pole	28.00	07B508/0.6
	PA-90	90cm Speaker Pole	30.00	07B508
	PA-100	100cm Speaker Pole	31.00	07B508/1.0
	PA-120	120cm Speaker Pole	33.00	07B508/1.2
	T4-Wheels	Wheel kit for TXD-215 and TXD-218	61.00	07G792

All prices are ex-works Turbosound and are exclusive of VAT